

SUPPLEMENT TO

The Gazette



of India

No. 45] NEW DELHI, SATURDAY, NOVEMBER 29, 1958/AGRAHAYANA 8, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st November, 1958

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Andhra Pradesh								Bombay								Delhi															
Srikakulam	.	.	47	32	4	1	Bioach	.	.	1	1							
Visakhapatnam	.	.	57	19	1	Ahmednagar	.	.	6	1	4	1							
East Godavari	.	.	12	7	1	2	East Khandesh	.	.	3	3							
West Godavari	.	.	32	17	2	Poona	.	.	3	1	19	5							
Krishana	.	.	4	3	2	1	North Satara	11							
Guntur	.	.	49	26	16	3	Sholapur	.	.	4	1							
Nellore	6	Akola	.	.	5							
Kurnool	.	.	8	6	1	2	Amravati	.	.	4	3							
Cuddapah	.	.	6	2	Wardha	.	.	8	3							
Anantapur	4	Aurangabad	.	.	5	3							
Chittoor	5	3	Nanded	.	.	2	2							
Adilabad	.	.	1	1	Osmanabad	.	.	8	2							
Nalgonda	.	.	3	2	TOTAL	.	.	49	20	34	6							
Mahbubnagar	.	.	6	2	Total for w/e 25-10-58	163	60	41	8							
TOTAL	.	.	225	117	42	12	Total for w/e 18-10-58	261	89	31	7							
Total for w/e 25-10-58	264	122	53	11	Himachal Pradesh								Kerala														
Total for w/e 18-10-58	243	124	49	7	"N.R."								Madhya Pradesh														
Assam								Bihar								"N.R."								"N.R."							
United Khasi and Jaintia Hills	4	1	Quilon	3							
TOTAL	4	1	Kottayam	13	6							
Total for w/e 25-10-58	6	5	4	2	Trichur	7	3							
Total for w/e 18-10-58	1	Malabar	7	1							
Kerala								Bihar								"N.R."								"N.R."							
Patna	.	.	14	4	TOTAL	30	10							
Gaya	.	.	34	12	Total for w/e 25-10-58	52	19							
Shahabad	.	.	28	16	15	5	Total for w/e 18-10-58	21	6							
Champanan	.	.	9	5	Madhya Pradesh								"N.R."														
Monghyr	.	.	7	3	"N.R."								"N.R."														
Sahara	.	.	24	11	"N.R."								"N.R."														
Purnea	1	1	"N.R."								"N.R."														
TOTAL	.	.	125	56	16	6	"N.R."								"N.R."														
Total w/e 25-10-58	104	53	7	2	"N.R."								"N.R."														
Total w/e 18-10-58	"N.R."							"N.R."								"N.R."															

Explanation of Symbols used:—C. = Cases ; D. = Deaths ; .. = Nil ; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st November 1958—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Madras								Uttar Pradesh							
Madras City	86	14		Ballia	1	1	
Chingleput	10	3		Deoria	2	1	
South Arcot	9	6		Gharwal	3	
Tiruchirappalli	7	4		Lucknow	..	5	2	
Tanjore	3	2		Sitapur	1	
Madurai	13	1		TOTAL	..	5	9	2	
North Arcot	2	2		Total for w/c	..	11	4	3	
Salem	21	11		25-10-58							
Coimbatore	3	3		Total for w/c 18-10-58	8	1	27	7	
TOTAL	154	46		West Bengal							
Total for w/c 25-10-58	122	35		"N.R."							
Total for w/c 18-10-58	155	54		Total for India							
Manipur								(Excluding Himachal							
TOTAL		Pradesh, Madhya,							
Total for w/c 25-10-58		Pradesh, Mysore,							
Total for w/c 18-10-58		Punjab, Rajasthan,							
Mysore								Tripura, and West							
"N.R."								Bengal)	444	210	423	118	..
Orissa								*Corresponding							
Cuttack	16	1		Total for w/c							
Balasore	..	1	1		25-10-58	611	278	352	109	
Puri	3	2		*Corresponding							
Sambalpur	5		Total for w/c							
Baudh	2		18-10-58	603	262	390	122	
Ganjam	..	11	6	19	7	..		ARREAR INFORMATION							
Koraput	..	12	2	33	7	..		West Bengal							
Mayurbhanj	7		w/c 5-10-58							
Dhenkanal	8		Burdwan	..	1	6	2	
Sundergarh	..	15	8	9	4	..		Bankura	2	
Kalahandi	27	7		Midnapore	4	1	
TOTAL	..	39	17	132	33	..		Hooghly	2	1	
Total for w/c 25-10-58	55	37	68	28		Howrah	..	1	1	1	1
Total for w/c 18-10-58	88	38	104	39		24-Parganas	1	
Pondicherry								Calcutta	..	10	2	3	1
TOTAL	2	2		West Dinajpur	2	
Total for w/c 25-10-58	1	1		Darjeeling	1
Total for w/c 18-10-58	2	2		Malda	1
Punjab								TOTAL	..	12	3	21	8
"N.R."								Bombay							
Rajasthan								w/c 25-10-1958							
"N. R."								Gaeater Bomba	2	1	
Tripura								Broach	..	2
"N.R."								Surat	..	12	3
								Ahmednagar	..	1
								East Khandesh	..	11	5	2
								Poona	..	3	..	14	1
								North Satra	8	1
								Sholapur	..	2
								West Khandesh	..	4

(Explanation of Symbols used:—C—Cases; D—Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 1st November, 1958—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Bombay—<i>concl.</i>								Mysore—<i>concl.</i>							
Amraoti	.	17	11	Bellary	.	78	28
Mehsana	10	5	Bijapur	.	17	6
Bhandra	.	45	19	Dharwar	1	1
Buldhana	.	15	3	TOTAL	.	183	58	52	12
Chanda	.	6	5	3	Rajasthan							
Akola	.	1	<i>w/e 18-10-58</i>							
Wardha	.	32	10	Sawi Madhopur	.	5	4
Aurangabad	2	TOTAL	.	5	4
Bhir	.	10	1	<i>w/e 25-10-58</i>							
Osmanabad	.	3	1	Alwar	.	..	4
TOTAL	.	163	60	41	8	Ganganagar	.	..	1
Mysore								Kotah	.	..	4
<i>w/e 25-10-58</i>								TOTAL	.	..	9
Bangalore	22	6	Himachal Pradesh							
Kolar	3	<i>w/e 18-10-58</i>							
Mysore	26	5	TOTAL
Shimoga	.	88	24	REMARKS							
								<i>Smallpox—Heavy incidence of the disease was reported from the city of Madras only.</i>							

Explanation of Symbols used:—C = Cases ; D. = Deaths ; .. = Nil.

NEW DELHI-2 (INDIA);

The 24th November, 1958

H. R. SHARMA,

for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES

Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st November, 1958

Towns	Mid-year Popn.Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh													
Assam													
Bihar													
Bombay													
Delhi													
Kerala													
Madhya Pradesh													
Madras													
Ambar	48	25	27.1	3	5	5.4	2
Arrupukottai	62	68	57.0	4	5	1	..	23	19.3	6
Bodinayakanur	43	25	30.2	2	5	6.0	2
Chidambaram	43	45	54.4	2	1	21	25.4	7
Coimbatore	267	338	65.9	..	1	..	6	16	12	1	113	22.0	25
Cuddalore	76	90	61.6	1	5	2	24	16.4	5
Dindigul	100	31	16.1	2	2	2	..	11	5.7	3
Brode	77	72	48.6	1	3	1	17	11.5	3
Gobichettipalayam	48	21	22.7	1	..	2	..	7	7.6	1
Gudiyattam	58	42	37.7	1	..	2	..	11	9.9	4
Kancheepuram	93	108	60.4	2	1	12	1	29	16.2	9
Karalkudi	47	62	68.6	1	2	2.2	..
Karur	57	42	38.3	..	4	..	1	15	13.7	1
Kumbakonam	115	111	51.2	2	11	2	..	60	27.1	12
Madras City	2,011	1,861	48.1	..	15	..	114	141	203	3	884	22.9	267
Madurai	488	414	44.1	14	12	20	..	168	17.9	46
Mayuram	53	42	41.2	2	..	15	14.7	3
Maliapalayam	43	13	15.7	1	2	8	9.7	1
Nagapattinam	62	65	54.4	2	..	1	1	19	15.9	5
Nagercoil	109	63	30.1	9	4.3	2
Ootacamund	53	52	51.0	1	1	6	..	19	18.6	4
Palni	44	32	37.8	1	1	3	..	9	10.6	4
Palayamkottai	48	58	62.8	3	1	2	..	21	22.7	6
Periyakulam	35	38	56.5	1	1	..	8	11.9	3
Pollachi	60	61	52.9	1	2	..	13	11.3	5
Pudukottai	54	59	56.8	15	14.4	3
Rajapalayam	74	74	52.0	4	3	6	..	24	16.9	8
Salem	279	160	29.8	3	8	11	1	55	10.3	6
Sriangam†										
Srivilliputtur	45	37	42.8	4	4	..	2	19	22.0	4
Tanjore	133	183	71.5	5	2	8	..	66	25.8	15
Tiruchirappalli	276	183	34.5	7	2	8	1	76	14.3	11
Tirunelveli	84	81	50.1	4	4	1	23	14.2	8
Tiruppur	73	93	66.2	1	..	1	..	9	6.4	3
Tiruvannamalai	47	45	49.8	2	1	5	1	21	23.2	3
Tuticorin	121	107	46.0	1	5	7	1	34	14.6	14
Vaniyambadi	45	32	37.0	2	3	..	12	13.9	3
Vellore	141	112	41.3	..	1	..	3	3	8	..	46	17.0	10
Villapuram	42	37	45.8	1	..	2	..	9	11.1	3
Virudhunagar	57	87	79.4	4	1	..	10	9.1	1
TOTAL	5,611	5,069	47.0	..	21	..	190	237	347	17	1,935	17.9	518

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B. = Births; B. R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information. "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 1st November, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Mysore													
Mangalore . . .	1,246	724	30.2	7	36	73	..	263	10.9	6
Mysore . . .	347	72	10.7	13	6	3	..	48	7.1	1
Colar Gold Fields . .	180	121	34.9	..	1	..	6	3	8	..	45	13.0	2
Jellary . . .	83	41	25.6	..	1	4	2	..	18	11.2	4
Davangere . . .	85	44	26.9	7	1	19	11.6	..
Chimoga . . .	68	27	20.6	7	10	7.6	1
Shadravatt†													
Hospet . . .	51	36	36.7	2	10	10.1	..
Gunkur . . .	51	26	26.5	2	2	2.0	..
Colart†													
Chitaldrug . . .	37	5	7.0	1	1.4	..
Hassan†													
Bidar†													
Gulberga . . .	101	5	2.5	2	..	2	1	11	5.6	2
Raichur†													
Bijapur†													
Belgaum . . .	110	53	25.0	1	..	1	1	17	8.0	..
Dharwar†													
Bagalkot . . .	39	21	28.0	1	2	2	..	8	10.6	..
Mangalore . . .	153	135	45.8	2	..	2	..	23	7.8	1
Gadag-Betegere . . .	73	57	40.0	12	..	5	..	32	22.7	..
Hubli†													
TOTAL . . .	2,624	1,367	27.1	..	2	..	62	52	99	2	107	10.0	17
Orissa													
Behrampur . . .	81	80	51.4	10	11	4	..	51	32.7	18
Cuttack . . .	129	83	33.5	..	2	..	6	5	3	..	27	10.9	5
Puri . . .	56	22	20.4	10	5	2	..	40	37.1	13
TOTAL . . .	266	185	36.2	..	2	..	26	21	9	..	118	23.1	36
Pondicherry													
Pondicherry . . .	68	94	71.9	3	4	2	1	17	13.0	7
Punjab													
Ambala . . .	62	70	58.9	4	1	3	..	12	10.1	6
Amritsar . . .	359	270	39.2	5	22	2	80	11.6	30
Batala . . .	66	37	29.2	7	..	2	..	12	9.5	5
Bhivani†													
Ferozepur . . .	47	52	57.7	1	6	..	16	17.8	2
Hissar . . .	41	44	56.0	4	..	5	..	13	16.5	6
Hoshiarpur . . .	54	35	33.8	5	2	1	..	17	16.4	2
Jullundur†													
Karnal†													
Ludhiana†													
Moga . . .	45	55	63.7	3	6	7.0	3
Panipat†													
Pathankot . . .	36	43	62.3	1	1	..	5	7.2	..
Rewari . . .	40	33	43.0	4	1	1	..	10	13.0	..
Rohtak†													
Simla . . .	53	41	40.3	4	3.9	..
Sonepat†													
Bhatinda . . .	45	30	34.8	4	2	7	8.1	1
Malerkotla . . .	35	34	50.7	8	8	11.9	..
Patiala . . .	125	110	45.9	16	1	4	1	57	23.8	21
TOTAL . . .	1,008	854	44.1	55	14	45	3	247	12.7	76

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st November, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan														
Ajmer	244	94	20.3	13	3	6	..	38	8.1	9	
Alwar	61	28	23.8	2	2	6	5.1	..	
Beawar	65	16	12.8	14	1	1	..	21	16.8	3	
Bharatpur†														
Bikaner	117	100	7	4	8	44	..	2	
Churu	52	4	4.0	
Ganganagar	65	10	1	..	11	16	12.8	6	
Jaipur †														
Jodhpur†														
Kotah †														
Sikar†														
Tonk†														
Udaipur	121	2	0.9	2	1	3	..	29	12.4	6	
TOTAL	725	254	18.2	..	1	..	49	11	18	..	154	11.0	26	
Uttar Pradesh														
Agra	404	300	38.7	2	3	68	..	128	16.5	38	
Allahabad	372	200	38.0	1	17	..	58	8.1	12	
Amroha	61	76	65.0	7	4	9	1	49	41.8	10	
Bahraich	49	27	28.7	5	5.3	1	
Banaras	416	458	57.4	56	6	12	..	224	28.1	69	
Banda	33	22	34.8	1	9	14.2	1	
Bareilly	206	73	18.5	10	5	10	..	32	8.1	8	
Basti	42	1	1	1.2	..	
Ballia†														
Bijnor†														
Budaun	55	50	47.4	3	2	7	..	21	19.9	6	
Bulandshahr †														
Chandauli†														
Dehra Dun	186	100	30.8	1	15	4.2	7	
Rtawah†														
Faizabad Ayodhya	94	27	15.9	1	3	1	..	9	5.0	2	
Farukhabad-Fatehgarh	78	52	34.8	16	1	1	..	24	16.0	5	
Firozabad	93	45	25.2	8	1	3	..	14	7.8	4	
Ghaziipur	35	36	41.7	6	2	10	11.6	4	
Ghaziabad	68	44	33.7	1	2	9	6.9	..	
Gonda	35	12	17.9	1	1	..	5	7.4	2	
Gorakhpur	150	136	47.3	5	6	4	..	30	10.4	7	
Hapur	65	64	51.3	9	3	12	9.6	4	
Hardwar	73	44	31.4	12	1	3	..	23	16.4	6	
Hathras	65	79	63.4	14	8	17	..	56	44.8	14	
Jaunpur	59	30	26.5	4	..	4	..	10	8.8	..	
Jhansi	132	116	45.8	20	2	3	..	39	15.4	17	
Kanpur	810	444	28.6	113	29	42	8	314	20.2	61	
Kasganj	34	42	64.4	1	2	3.1	..	
Khurja†														
Koil Aligarh	167	55	17.2	13	8	7	..	38	11.6	11	
Lucknow	525	441	43.8	29	12	18	1	138	13.7	35	
Mathura	118	144	63.6	14	2	8	1	40	17.7	9	
Mau Nath Bhanjan	39	60	80.2	5	1	9	12.0	4	
Meerut	198	128	33.7	4	2	4	1	19	5.0	4	
Mirzapur Vindhyaachal	100	79	41.2	13	2	3	..	28	14.6	9	
Moradabad	165	160	50.6	17	6	15	..	65	20.5	16	
Muzaffarnagar	81	46	29.7	3	3	3	..	14	9.0	7	
Pilibhit†														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st November 1958.—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from —											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D					
Uttar Pradesh—contd.															
Rampur	181	1	0.3	..	1	..	45	1	52	14.9	..		
Saharanpur	178	111	32.4	3	3	69	20.2	13		
Sambhal†		
Sitapur	52	38	38.1	6	..	2	..	11	11.0	1		
Shahjahanpur	112	142	66.1	28	4	1	..	54	25.1	22		
TOTAL	5,531	3,882	36.5	..	1	..	467	122	266	15	1,589	14.9	403		
West Bengal															
"N. R."															
ARREAR INFORMATION															
Kerala															
w/e 27-9-58															
Alleppey	195	30	80.0	1	3	21	5.6	2		
Changanadcherry	44	36	42.5	1	6	7.09	1		
Kottayam	55	24	22.7	6	5.7	..		
Ernakulam	77	65	43.9	3	1	..	1	29	19.6	3		
Mattancherry	94	50	27.7	1	1	1	..	18	10.0	3		
Quilon	82	2	7	2	..	32	20.3	2		
Trichur	80	41	26.6	2	14	9.1	1		
Trivendrum	247	390	82.1	10	7	1	..	97	20.4	10		
Kozhikode	187	136	37.8	6	4	4	1	51	14.2	10		
Palghat	82	41	26.00	2	2	1	1	25	15.9	8		
Cannanore	49	24	25.5	1	..	7	..	16	17.0	5		
Tellicherry	43	30	36.3	1	..	3	..	7	8.5	..		
Cochin	33	21	33.09	2	..	1	..	14	22.06	1		
TOTAL	1,268	888	36.4	32	25	20	3	336	13.8	46		
w/e 4-10-58															
Alleppey	195	59	15.7	1	..	1	9	2.40	1		
Changanacherry	44	21	24.8	1	1	8	9.5	1		
Kottayam	55	24	22.7		
Ernakulam	77	44	29.7		
Mattancherry	94	31	17.1		
Quilon	82	119	75.5	5	1	22	14.0	2		
Trichur	80	32	20.8	1		
Trivandrum	247	35	7.4	1	1	6	1.3	1		
Kozhikode	187	164	45.6	12	3	6	1	77	21.4	15		
Palghat	82	74	46.9	4	3	30	19.03	7		
Cannanore	49	24	25.5	1	..	1	..	9	9.6	4		
Tellicherry	43	31	37.5	1	2	14	16.9	2		
Cochin	33	32	50.4	2	7	11.03	2		
TOTAL	1,258	690	28.3	27	10	8	4	182	7.5	35		
w/e 11-10-58															
Alleppey	195	41	10.9	1	2	0.5	..		
Changanacherry	44	34	40.2	1	1	3	3.6	1		
Kottayam	55	23	27.74	2	1.9	1		
Ernakulam	77	88	59.4	3	2	1	..	24	16.2	5		
Mattancherry	94	40	22.12	1	..	1	14	7.7	2		
Quilon	82	275	174.4	2	6	3.8	..		
Trichur	80	47	32.5	1	3	15	9.8	2		
Trivandrum	247	203	42.7	3	1	..	70	14.7	3		
Kozhikode	187	228	63.4	9	1	57	15.9	14		
Palghat	82	74	46.9	1	1	1	2	24	15.2	7		
Cannanore	49	38	40.3	1	9	9.6	..		
Tellicherry	43	52	62.9	9	10.9	1		
Cochin	33	43	78.8	1	1	14	78.8	5		
TOTAL	1,268	1186	48.6	17	17	3	3	249	10.2	41		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st November, 1958—*contd.*

Town	Mid.-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D
		B.	B	R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Kerala—contd		w/e 18-10-1958													
Alleppey	195	43	11.5	1	2	1	..	25	6.7	5		
Changanacherry	44	15	17.7	1	2	2.4	..		
Kottayam	55	61	57.7	2	10	9.5	..		
Ernakulam	77	128	86.4	1	2	..	33	22.3	2		
Mattancherry	94	47	26.0	2	..	14	7.7	2		
Quilon	82	160	101.5	1	..	7	4.4	1		
Trichur	80	38	24.7	1	..	13	8.5	2		
Trivandrum†															
Kozhikode	187	233	64.8	6	3	1	..	53	14.7	12		
Palghat	82	36	22.8	1	..	1	..	21	13.32	3		
Cannanore	49	27	28.7	1	..	10	10.6	1		
Tellicherry	43	43	52.0	1	6	7.26	2		
Cochin	33	38	59.9	1	1	15	23.6	6		
TOTAL	1,021	859	44.3	10	10	10	..	209	10.6	36		
Madhya Pradesh		w/e 4-10-1958													
Bilaspur	54	31	29.8	6	4	2	..	24	23.1	5		
Burhanpur†															
Damoh	47	22	24.3	2	1	9	9.9	..		
Jabalpur†															
Khandwa†															
Raipur†															
Murwar†															
Sagar†															
Chindwar†															
Raigarh†															
Itarsi	37	17	23.8	5	1	..	1	12	16.8	..		
Greater Gwalior	297	162	28.3	1	..	4	..	18	3.1	3		
Indore	423	227	27.9	11	4	30	2	84	10.3	23		
Ratlam†															
Ujjain†															
Bhopal city†															
Mandsaur	48	6	6.5		
TOTAL	906	465	26.7	25	10	36	3	147	8.4	31		
		w/e 11-10-58													
Bilaspur	54	36	34.6	5	1	3	1	23	1.9	8		
Burhanpur†															
Damoh	47	24	26.5	1	10	11.0	..		
Jabalpur†															
Khandwa†															
Raipur†															
Murwar†															
Sagar†															
Chindwar†															
Raigarh†															
Itarsi†															
Greater Gwalior	297	80	14.0	3	1	2	1	17	2.9	..		
Indore	423	186	22.8	17	3	51	2	113	13.8	36		
Ratlam†															
Ujjain†															
Bhopal City†															
Mandsaur	48	9	9.7	1	..	1	..	2	2.1	..		
TOTAL	869	335	20.0	27	5	57	4	162	9.7	44		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week-ending the 1st November, 1958—*contd.*

Town	Mid-Year Popn. Est.(000)	B.	B.R.*	Deaths from							Total	D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Delhi														
w/e 6-8-1958														
Delhi City . . .	1,216	792	33.9	35	10	27	1	141	6.02	41	
New Delhi . . .	417	146	18.2	1	77	9.6	36	
N.A.C. Civil Station, Delhi . . .	130	145	58.0	3	..	10	..	35	14.0	12	
Delhi Cantt. . .	54	25	24.1	1	10.0	..	
Delhi Shahdara . .	58	87	78.0	1	1	2	..	8	7.2	4	
TOTAL . . .	1,875	1295	33.1	40	11	39			7.3	93	
w/e 23-8-1958														
Delhi City . . .	1,216	732	31.3	101	16	37	3	283	12.1	99	
New Delhi . . .	417	310	38.9	9	6	..	79	9.9	22	
N.A.C. Civil Station, Delhi . . .	130	108	43.2	..	1	..	5	..	3	..	35	14.0	11	
Delhi Cantt. . .	54	25	24.7	
Delhi Shahdara . .	58	54	48.4	6	..	2	..	12	10.8	4	
TOTAL . . .	1,875	1,229	34.1	..	1	..	112	25	48	3	409	11.3	136	
w/e 30-8-1958														
Delhi City . . .	1,216	756	32.3	90	32	41	3	291	12.4	93	
New Delhi . . .	417	264	32.9	2	5	..	62	7.7	13	
N.A.C. Civil Station, Delhi . . .	130	118	47.2	24	—	..	3	3	3	..	41	16.4	9	
Delhi Cantt. . .	54	100	96.3	
Delhi Shahdara . .	58	102	91.4	6	1	5	..	18	16.1	7	
TOTAL . . .	1,875	1,340	37.2	24	99	38	54	3	412	11.4	122	
w/e 6-9-1958														
Delhi City . . .	1,216	730	31.2	83	20	31	..	212	9.1	63	
New Delhi . . .	417	300	37.4	1	13	10	..	76	9.5	48	
N.A.C. Civil Station, Delhi . . .	130	151	60.4	..	2	..	6	5	6	..	83	33.2	19	
Delhi Cantt. . .	54	
Delhi Shahdara . .	58	85	76.2	3	6	
TOTAL . . .	1,875	1266	35.1	..	2	..	101	41	47	..	393	10.9	136	
w/e 13-9-1958														
Delhi City . . .	1,216	847	26.2	70	31	26	3	272	11.6	83	
New Delhi . . .	417	180	22.4	57	7.1	19	
N. A. C. Civil Station, Delhi . . .	130	169	67.6	2	..	3	..	20	8.0	5	
Delhi Cantt. . .	54	25	24.1	2	3	2.9	2	
Delhi Shahdara . .	58	67	60.1	8	..	1	..	20	17.9	6	
TOTAL . . .	1,875	1,288	35.7	82	31	30	3	372	10.3	115	
w/e 20-9-58														
Delhi . . .	1,216	453	19.4	129	31	69	..	96	16.9	136	
New Delhi . . .	417	125	15.6	5	7	4	..	371	8.9	12	
N. A. C. Civil Station, Delhi . . .	130	153	61.2	..	1	..	7	2	6	..	31	12.4	7	
Delhi Cantt.	
Delhi Shahdara . .	58	69	61.7	6	2	4	..	27	24.2	9	
TOTAL . . .	1,821	1,800	22.8	..	1	..	147	42	83	..	525	15.0	164	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); —Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for week ending the 1st November, 1958—concl'd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Delhi—contd				<i>w/e. 27-9-58</i>											
Delhi City	1,216	583	24.9	37	11	22	..	136	5.8	45		
New Delhi	417	158	19.7	3	10	20	..	80	10.0	41		
N. A. C. Civil Station, Delhi	130	174	69.6	1	1	..	2	7	3	..	43	17.2	13		
Delhi Cantt	54	1	10.0	2	1.9	1		
Delhi Shahdara	58	84	75.3	7	1	10	9.0	2		
Total	1875	1000	27.7	1	1	..	49	29	45	..	271	7.5	102		
				<i>w/e. 4-10-58</i>											
Delhi City	1216	679	29.0	56	10	34	5	196	8.4	65		
New Delhi	417	120	15.0	1	1	1	..	70	8.7	12		
N.A.C. Civi. Station, Delhi	130	143	57.2	1	2	1	3	..	38	15.2	12		
Delhi Cantt	54	25	24.1		
Delhi Shahdara	58	96	86.1	5	..	3	..	17	15.2	7		
Total	1875	1063	29.5	1	64	12	41	5	321	8.9	97		
				<i>w/s. 11-10-58</i>											
Delhi City	1,216	756	32.3	70	22	43	4	270	11.5	75		
New Delhi	417	310	38.7	3	3	4	2	101	12.6	44		
N.A.C. Civil Station, Delhi	130	174	69.6	4	3	29	11.6	8		
Delhi Cantt†															
Delhi Shahdara	58	98	87.9	12	20	17.9	5		
Total	1821	1338	38.2	89	28	47	9	420	12.0	132		
				<i>w/e 18-10-1958</i>											
Delhi City	1,216	745	31.9	42	9	26	2	144	6.2	43		
New Delhi	417	346	43.1	4	11	11	1	89	11.1	32		
N.A.C. Civil Station, Delhi	130	126	60.4	3	..	7	1	27	10.8	13		
Delhi Cantt	54	25	21.1		
Delhi Shahdara	58	65	58.3	5	1	1	..	19	17.03	3		
TOTAL	1875	1307	36.2	54	21	45	4	279	7.7	91		
				<i>w/e 25-10-1958</i>											
Delhi City	1,216	728	31.1	57	15	20	3	163	7.4	41		
New Delhi	417	330	41.2	2	2	..	80	10.0	18		
N.A.C. Civil Station, Delhi	130	169	67.6	1	1	..	12	4.8	8		
Delhi Cantt	54	50	48.1	3	4	3.9	2		
Delhi Shahdara	58	61	54.7	3	..	1	..	8	7.2	3		
TOTAL	1,875	1,338	37.1	60	21	24	3	276	7.4	72		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); . —Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 1st November, 1958 relate to 113 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 15,833 thousands out of a total population of 46,461 thousands in 320 towns of the country. The number of births and deaths recorded in these towns were 11,705 and 4,567 registering birth and death rates of 38.4 and 15.0 per thousand of population respectively.

The towns of Amroha and Hapur in the State of Uttar Pradesh and Behrampur, Pur in the States of Orissa recorded high death rates of 41.8, 44.8 and 32.7 and 31.7 per thousand of population respectively. The following table gives the registered rates for different States:—

States	Current w/e 1-11-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras . . .	47.0	17.9	47.0	16.7
Mysore . . .	27.1	10.0	21.3	11.9
Orissa . . .	36.2	23.1	41.6	20.9
Pondicherry . .	71.9	13.0	57.3	12.8
Punjab . . .	44.1	12.7	50.6	11.7
Rajasthan . . .	18.2	11.0	20.0	10.4
Uttar Pradesh .	36.5	14.9	†	†
India . . .	38.4	12.0	38.6	14.1

†Figures not available

NEW DELHI-2 (INDIA) ; }
The 24th November, 1958. }

H. R. SHARMA,
for Registrar General, India.

